logseq-doctor Release 0.1.1

i icicase o.i.i

W Augusto Andreoli

CONTENTS

1	Overview	1
	1.1 Installation	
	1.2 Quick start	
	1.3 Development	2
2	Installation	3
3	Usage	5
4	Reference	7
	4.1 logseq_doctor	7
5	Contributing	9
	Bug reports	
	Documentation improvements	
	Feature requests and feedback	
	Development	10
6	Authors	11
7	Changelog	13
		13
8	Indices and tables	15
Ру	non Module Index	17
In	ex	19

ONE

OVERVIEW

docs tests	
tests	
package	

Logseq Doctor: heal your flat old Markdown files before importing them.

Note: this project is still alpha, so it's a bit rough on the edges (documentation and feature-wise).

1.1 Installation

The recommended way is to install logseq-doctor globally with pipx:

```
pipx install logseq-doctor
```

You can also install the development version with:

```
pipx install git+https://github.com/andreoliwa/logseq-doctor
```

You will then have the 1sd command available globally in your system.

1.2 Quick start

Type 1sd without arguments to check the current commands and options:

(continues on next page)

(continued from previous page)

help	it or customize the installation. Show this message and exit.	
00.022210	Convert flat Markdown to outline. Tidy up your Markdown files by removing empty bullets in any block.	

1.3 Development

To run all the tests run:

tox

Note, to combine the coverage data from all the tox environments run:

Win- dows	set PYTEST_ADDOPTS=cov-append tox	
Other	PYTEST_ADDOPTS=cov-append tox	

СНАРТ	ΓER
TV	VO

INSTALLATION

At the command line:

pip install logseq-doctor

CHAPTER
THREE

USAGE

logseq-doctor is currently more of a CLI project. It could be adapted to work as a Python package though.

6 Chapter 3. Usage

FOUR

REFERENCE

4.1 logseq_doctor

class logseq_doctor.LogseqRenderer(*extras)

Render Markdown as an outline with bullets, like Logseq expects.

render_heading(*token: block_token.Heading* | *block_token.SetextHeading*)

Setext headings: https://spec.commonmark.org/0.30/#setext-headings.

 $logseq_doctor. flat_markdown_to_outline(markdown_contents: str) \rightarrow str$ Convert flat Markdown to an outline.

CONTRIBUTING

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

5.1 Bug reports

When reporting a bug please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.2 Documentation improvements

logseq-doctor could always use more documentation, whether as part of the official logseq-doctor docs, in docstrings, or even on the web in blog posts, articles, and such.

5.3 Feature requests and feedback

The best way to send feedback is to file an issue at https://github.com/andreoliwa/logseq-doctor/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that code contributions are welcome :)

5.4 Development

To set up *logseq-doctor* for local development:

- 1. Fork logseq-doctor (look for the "Fork" button).
- 2. Clone your fork locally:

```
git clone git@github.com:YOURGITHUBNAME/logseq-doctor.git
```

3. Create a branch for local development:

```
git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

4. When you're done making changes run all the checks and docs builder with tox one command:

```
tox
```

5. Commit your changes and push your branch to GitHub:

```
git add .
git commit -m "Your detailed description of your changes."
git push origin name-of-your-bugfix-or-feature
```

6. Submit a pull request through the GitHub website.

5.4.1 Pull Request Guidelines

If you need some code review or feedback while you're developing the code just make the pull request.

For merging, you should:

- 1. Include passing tests (run tox).
- 2. Update documentation when there's new API, functionality etc.
- 3. Add a note to CHANGELOG.rst about the changes.
- 4. Add yourself to AUTHORS.rst.

5.4.2 Tips

To run a subset of tests:

```
tox -e envname -- pytest -k test_myfeature
```

To run all the test environments in *parallel*:

```
tox -p auto
```

SIX

AUTHORS

 $\bullet \ \ W \ Augusto \ Andreoli \ - \ https://github.com/andreoliwa$

12 Chapter 6. Authors

SEVEN

CHANGELOG

7.1 0.1.0 (2022-03-20)

• First release on PyPI.

EIGHT

INDICES AND TABLES

- genindex
- modindex
- search

PYTHON MODULE INDEX

I

logseq_doctor, 7

18 Python Module Index

INDEX

```
F
flat_markdown_to_outline()
                                      (in
                                              module
         logseq\_doctor), 7
L
logseq_doctor
    {\tt module}, 7
{\tt LogseqRenderer}\ ({\it class\ in\ logseq\_doctor}), \ 7
M
module
    logseq\_doctor, 7
R
                       (logseq_doctor.LogseqRenderer
render_heading()
         method), 7
```